

CLAIM AMENDMENTS

Please amend the claims as described below. In accordance with 37 CFR §1.121, a complete listing of all claims in the application is provided below. The status of each claim is indicated in the parenthetical expression adjacent to the corresponding claim number.

Claims 1-9 (Canceled).

- 1 10. **(NEW)** A wind power installation comprising:
2 a foundation;
3 a pylon based on the foundation and having a diameter in a foundation region;
4 a generator;
5 a power module having a plurality of electrical devices and a support, the plurality of
6 electrical devices including at least one transformer to transform electrical energy provided
7 by the generator to a medium voltage and/or a high voltage, the plurality of electrical
8 devices further including electrical devices by means of which electrical energy produced
9 by the generator is controlled and/or supplied and/or converted, the support being placed
10 on the foundation and accommodating the plurality of electrical devices, the power module
11 further having a width and/or length less than the diameter of the pylon in the foundation
12 region; and
13 a container that accommodates the power module, the container having a wall
14 disposed between the power module and a wall of the pylon.

- 1 11. **(NEW)** The wind power installation of claim 10 wherein the container
2 comprises a tube having a substantially cylindrical cross-section.

1 12. (NEW) The wind power installation of claim 10 wherein a separate space is
2 provided in the container and available as a changing room and/or a rest room for service
3 engineers of the wind power installation.

1 13. (NEW) The wind power installation of claim 10 wherein the container comprises
2 a water-tight container.

1 14. (NEW) The wind power installation of claim 10 wherein the container includes
2 means for water-tight closure of the container.

1 15. (NEW) The wind power installation of claim 10 wherein the container includes a
2 water-tight door.

1 16. (NEW) The wind power installation of claim 10 wherein a space within the
2 container is equipped to allow a prolonged stay by a number of people.

1 17. (NEW) An offshore wind power installation comprising a wind power installation
2 according to claim 10.

1 18. (NEW) A method for use in erecting a wind power installation comprising a pylon
2 and a generator supported by the pylon, the method comprising:
3 mounting a container on a foundation;
4 erecting a pylon on the foundation after mounting the container; and

5 providing a power module within the container, the power module including a
6 transformer to transform electrical power provided by the generator.

1 19. (NEW) The method of claim 18 further comprising feeding electrical power
2 provided by the generator into a network.

1 20. (NEW) The method of claim 19 wherein feeding electrical power provided by the
2 generator into a network comprises connecting the power module to a power supply
3 network.

1 21. (NEW) The method of claim 19 wherein the electrical power module further
2 includes a plurality of electrical devices for controlling the wind power installation and/or
3 transmitting and/or converting electrical power provided by the generator.

1 22. (NEW) The method of claim 21 wherein the plurality of electrical devices
2 includes an inverter and/or at least one switching cabinet.

1 23. (NEW) The method of claim 18 wherein providing a power module within the
2 container comprises:
3 placing the power module on the foundation; and
4 fitting the container over the power module after placing the power module on
5 the foundation.

1 24. **(NEW)** The method of claim 18 further comprising transporting the container and
2 the power module after providing the power module in the container.

1 25. **(NEW)** An offshore wind power installation erected according to a method
2 comprising the method of claim 18.

1 26. **(NEW)** A method for use in erecting a wind power installation comprising a pylon
2 and a generator supported by the pylon, the method comprising:
3 fitting a container in the pylon at a factory upon manufacture of the pylon; and
4 providing a power module within the container, the power module including a
5 transformer to transform electrical power provided by the generator.

1 27. **(NEW)** The method of claim 26 further comprising feeding electrical power
2 provided by the generator into a network.

1 28. **(NEW)** The method of claim 27 wherein the electrical power module further
2 includes a plurality of electrical devices for controlling the wind power installation and/or
3 transmitting and/or converting electrical power provided by the generator.

1 29. **(NEW)** An offshore wind power installation erected according to a method
2 comprising the method of claim 26.